
Cabinet

Assembly Instruction - Please keep properly for future reference.

If you find any missing boxes, damaged parts, or accessory shortages, please contact the customer service team of your purchasing channel immediately. We will resolve the issue as quickly as possible.



SKU:
C002014050
C002014060
C002049050
C002049060

V1.0

EN

CONTACT US

. **Email: info@grandtunnel.com**
In order to receive assistance more quickly, please provide

THE FOLLOWING INFORMATION:

. Order number
. Purchase platform
. Purchase date
. Detailed description of the issue along with photos (if applicable)

Important - Please read these instructions carefully before starting the installation.

Cabinet

Before Assembly

Thank you for choosing our product!
To ensure a smooth installation process, please read this guide carefully to familiarize yourself with the required tools, materials, and installation steps.
Follow the relevant sections to avoid any damage caused by improper installation, and make sure to review all operation and safety guidelines for correct installation procedures.

Packaging Notice:

If you find any missing boxes, damaged parts, or accessory shortages, please contact the customer service team of your purchasing channel immediately. We will resolve the issue as quickly as possible.

Safety and Care Advice

Important :
Please read these instructions fully before starting assembly.

- Check you have all the components and tools listed on the following pages.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, as small parts could choke if swallowed.
- Make sure you have enough space to lay out the parts before starting.
- During assembly do not stand or put weight on the product, as this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 people.



- To reduce the likelihood of damaging your product, please ensure that your power drill is set on a low torque setting.

Email : **info@grandtunnel.com**

EN

Care and maintenance

- Only clean using a damp cloth and mild detergent. Do not use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal center.

Handy Hints

- Assemble all parts and bolts loosely during assembly, only once the product is complete should you fully tighten the bolts.
- Regularly check and ensure that all bolts and fittings are tightened properly.

Warning

In order to help prevent overturning, please follow these instructions.

- Use the anti-tip strap or wall fixing method provided (if applicable).
- Do not allow children to climb or hang on the furniture.
- Do not open more than one drawer at a time.
- Do not place heavy items in the top drawers.
- Do not place heavy items on top of the furniture, unless the furniture has been designed for this purpose.
- Please note that only the anti-tip strap is provided. You will need to provide wall plugs and screws applicable for your wall type.

Email : **info@grandtunnel.com**

Customer Service Guide

Thank you for choosing our product! We are committed to providing you with excellent service. If you find any missing parts, damaged packaging, or product damage after receiving all packages, please follow the steps below to quickly contact our customer service team. We will do our best to resolve your issue.

1.. Missing Parts

Verify Parts:

1. Refer to the “Parts List” in the manual to verify the name, specifications, the quantity of the missing parts.
2. Take a clear photo of the parts list and mark the missing parts with detailed information, e.g., “Missing 5 pieces of M6×30mm screws.”

Contact Us:

By Email:

Send an email to **info@grandtunnel.com**, with the subject line “Missing Parts Issue.” Include the following in the email:

- A description of the missing parts and a photo of the parts list
- Order details (order number, purchase platform, purchase date)

2.. Product or Packaging Damage

If it affects normal use:

Steps:

1. Take clear photos or videos showing the damaged parts and the extent of the damage (multi-angle shots are recommended).
2. Email the photos/videos along with order details to **info@grandtunnel.com**, with the subject line “Product Damage Issue.”

Resolution:
After verification, we will arrange for a replacement part, product exchange, or refund as quickly as possible.

If it does not affect normal use:

Steps:

1. Contact our customer service team (by email: **info@grandtunnel.com**).
2. Provide a description of the damage and include relevant photos or videos

Resolution:
We will provide repair guidance or an appropriate compensation plan based on the specific situation.

Contact Us:

Customer Service Email: **info@grandtunnel.com**

Helpful Tips

To process your issue efficiently, please prepare the following information:


- Order details (order number, purchase platform, purchase date)
- Clear photos or videos
- We are committed to providing quick and professional solutions, no matter the size of the issue, to ensure your satisfaction.

Thank you for your trust and support!
We hope you enjoy using our product!


EN

Parts List - Panels


Please check you have all the panels listed below.




1 740x360x15mm **x1**




2 790x390x31mm **x1**




3 790x390x31mm **x1**




4 740x375x15mm **x1**




5 737x338x15mm **x1**



6 650x365.5x15mm **x1**



7 650x365.5x15mm **x1**



8 649x750x3mm **x1**

Email : **info@grandtunnel.com**


Parts List - Fittings

Please check you have all the fittings listed below.


Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied are required.



A Ø15X9.5 **x8+1**




B Ø6.5X35 **x8+1**




C Ø8X30 **x8+1**



D Ø3.5X14 **x26+2**




E Ø3X14 **x8+1**



F 34X29X19 **x2**




G Ø20X1.4 **x2**




H Ø5X25 **x4+1**



I Ø35 **x4**




J **x12+1Set**



K 70X30X5 **x1**




L Ø21 **x4+1**




M **x1Set**

Cam Lock Fastening System


Insert the cam bolt into the hole first, then insert the cam lock and lock it.




1



2



3




4

Email : **info@grandtunnel.com**

EN

EN


Assembly Instructions



Email : **info@grandtunnel.com**


EN


Step 1



B	x8
Ø6.5x35	


Fix fastener (B) to plate (2) and plate (3).






Email : **info@grandtunnel.com**

Step 2




E	x8	F	x2
			
Ø3x14		34x29x19	

Fix accessory (F) to plate (1) with screw (E).




Email : **info@grandtunnel.com**

Step 3



A	x4	C	x4
			
Ø15x9.5		Ø8x30	


Connect plate (2) to plate (1) and plate (4) using connector (C), then tighten it to plate (1) and plate (4) with fastener (A).



Email : **info@grandtunnel.com**


EN

Step 4




⚠ Requires installation by two people.


Insert backplate (8) into the slots of plates (1), (2), and (4).



Email : **info@grandtunnel.com**


Step 5





Pass the anti-tip (M) through the notch of the back panel (8) and fix it to the board (1).


⚠ Requires installation by two people.



Email : **info@grandtunnel.com**


EN

Step 6




A	x4	C	x4
			
Ø15x9.5		Ø8x30	

Connect plate (3) to plate (1) and plate (4) using connector (C), then tighten it to plate (1) and plate (4) with fastener (A).




Insert the cam bolt into the hole first, then insert the cam lock and lock it.




Proper orientation of CAM LOCK


Email : **info@grandtunnel.com**

Step 7



H	x4
	
Ø5x25	


Insert accessory (H) into the round holes of board (2) and board (3).




Email : **info@grandtunnel.com**

EN

Step 8





Place the semi-circular slot of plate (5) onto the (H)-fitting of plate (2) and plate (3).




Email : **info@grandtunnel.com**

Step 9






Fix the backplate clip (J) to the plate (8).



Insert the plastic buckle into the back plate slot, screw through the hole in the plastic buckle and lock it in place.


Email : **info@grandtunnel.com**

Step 10




D	x10	G	x2	I	x4
					
Ø3.5x14		Ø20x1.4		Ø35	

Secure hinge (I) to plate (6) and plate (7) with screw (D).
Secure iron plate (G) to plate (6) and plate (7) with screw (D).



Email : **info@grandtunnel.com**


Step 11



D	x16
	
Ø3.5x14	


Secure hinge (I) to plate (2) and plate (3) with screw (D).

⚠ Requires installation by two people.




Email : **info@grandtunnel.com**


Step 12



NOTE: If you encounter a gap or difficulty closing the door after installation, Please adjust the hinge according to the following operation.


The method is as follows:






[How to adjust vertical height of the door]


- First remove the 2 screws "A+"on the hinge.
- Then loosen the 2 screws "A"on the hinge so that it can be adjusted up or down a few millimeters.
- Then tighten "A" and reinstall "A+".






[How to adjust the level of the door]

- Turn screw "C" on hinge to adjust the level of the door.







[How to adjust depth of the door]

- Loosen screw "B" and adjust the depth of the door.
- If screw "B" is loose, the depth of the door still cannot be adjusted. Simply loosen the screw "C" slightly to adjust the position of the door forward and backward.
- After adjusting the position, tighten screw "B" last.


Email : **info@grandtunnel.com**

Step 13






Stick the hole sticker (L) onto the hole position of board (1).




EN

Email : **info@grandtunnel.com**


Step 14






NOTE:The tipping restraint hardware included is for wooden stud wall construction. It must be attached to a wall stud. Depending upon your wall construction different anchor hardware maybe required. Please contact your local hardware store for assistance. Young children can be seriously injured by tipping furniture. You must install the tipping restraint hardware with the unit to prevent the unit from tipping, causing any accidents or damage. The tipping restraints are intended only as a deterrent and are not a substitute for proper adult supervision. The tipping restraints are not earthquake restraints. If you wish to add the extra security of earthquake restraints, they must be purchased and installed separately.


Install the tipping restraint hardware




1.make mark on the wall




2.drill two Ø6mm holes on the wall



3.put two anchors in the holes



4.fix the device on the wall by the long screws



Email : **info@grandtunnel.com**